



NOTES:

1. HARDWARE SHIPPED UNASSEMBLED.
2. MATERIALS:
 BUSHING - COPPER ALLOY, NICKEL PLATED
 TIP SPRING - NICKEL SILVER
 SLEEVE TERMINAL - COPPER ALLOY, ELECTRO-TINNED
 INSULATING WASHERS - PHENOLIC
 JACK WASHER - STEEL, NICKEL PLATED
 HEX NUT - COPPER ALLOY, NICKEL PLATED
 MOUNTING WASHER - STEEL, NICKEL PLATED

CUSTOMER DRAWING

					★ STAR SYMBOL DENOTES CRITICAL DIMENSION	THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.				
					UNLESS OTHERWISE SPECIFIED	SIZE	WIDTH	MULT	LBS/M	TEMPER
					1. ALL DIMENSIONS IN INCHES - TWO PLACE DECIMALS ±0.01 - THREE PLACE DECIMALS ±0.005 - ANGLES ±1° - ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.	FINISH			MATERIAL	
					2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002	SPEC No.			SPEC No.	
					3. REMOVE ALL BURRS	FIRST USED ON			SCALE	
						I = 0.5			Switchcraft®	
E	20627	7-21-10	TJK	TJK	DATE DRAWN	BY	CHKD	APVD		
REV	ECO NUMBER	DATE	BY	APVD	21-Jul-10	TJK	TJK	TJK	7-21-10	7-21-10
REVISIONS					DO NOT SCALE DRAWING	NAME			PART No.	
						Ø0.25 - 2 CONDUCTOR OPEN CIRCUIT JACK, RoHS			11	
									REV E	